

Fast Fact #122

Palliative Care And Icu Care: Pre-Admission Assessment

Authors: [Molly L Osborne MD](#), [Richard A Mularski MD](#)

Category: [ICU](#)

Background: What are the indications for Intensive Care Unit (ICU) admission in the chronically and/or terminally ill and how can one integrate palliative care into the daily interdisciplinary agenda? A good approach is to determine the patient-centered goals of care and then decide if ICU care will help promote or detract from these goals. The use of a pre-admission checklist can be helpful to determine the appropriateness of ICU therapy and to initiate communication about goals and preferences before a trial of ICU care. With use of a complementary strategy after admission, the patient can benefit from a care plan that integrates palliation into the daily agenda and anticipates needs. This Fast Fact will discuss the pre-ICU-admission assessment of patients with advanced illnesses; [Fast Fact #123](#) will discuss ongoing ICU assessment of these patients to ensure appropriate symptom management and medical decision-making.

Pre-Admission ICU Checklist

A. Clarify the underlying medical condition and possibilities with ICU treatment:

1. What is/are the underlying chronic fatal illness disease(s)?
2. What has been the clinical course of the chronic illness over the past few months/year?
3. What was the patient's functional status and quality of life in the weeks preceding admission?
4. What are the acute illnesses and conditions that the ICU might improve?
5. What interventions do you expect will be required in the first 48 hours?
6. What do you foresee as the best possible outcome from treatment in ICU:
 - a. Cure the acute process with return to baseline function (e.g. pneumonia).
 - b. Cure or improve the acute process but the patient will likely have a reduced functional capacity permanently (e.g. large stroke).
7. Is there prognostic information to guide you/patient/family in decision making?

B. Address and document decision-making with patient/family/surrogate:

1. Does the patient have decision-making capacity (see [Fast Fact #55](#))?
2. Does the patient have an advance care planning document or a legally designated agent?
3. Who are the important people that assist the patient in decision making?
4. With or without an advance care planning document, has the patient or surrogate expressed clear goals of care with their physician in the recent past or during the current illness?

C. Discuss and document ICU-based and patient-focused goals and preferences:

1. Review what therapeutic trials and palliative care issues can be addressed by an interdisciplinary

- ICU team; consider whether needs can be met in alternative care settings.
2. Document advance care planning and do not resuscitate orders (see [Fast Fact #23](#), [Fast Fact #24](#)).
 3. Agree upon specific, time-limited, ICU goals (e.g. three days trial of mechanical ventilation).
 4. Identify physical symptoms and develop a treatment plan for palliation.

D. Coordinate interdisciplinary communication & time reappraisal of therapy and goals:

1. Meet with ICU team members to review goals of care, symptoms, family needs, etc.
2. Document goals of care and details of decision making in medical record.
3. Schedule a time to assess clinical response and whether goals need to be changed.

References

1. Back AL, Arnold RM, Quill T. Hope for the best, and prepare for the worst. *Ann Intern Med.* 2003; 138(5):439-43.
2. Mularski RA, Osborne ML. End-of-life care in the critically ill geriatric population. *Crit Care Clin.* 2003; 19:793-810.
3. Mularski RA, Bascom P, Osborne ML. Educational agendas for interdisciplinary end-of-life curricula. *Crit Care Med.* 2001; 29(2 Suppl):N16-23. (Copyright permission to reproduce modified checklist obtained from Lippincott June 2004.)

Version History: This Fast Fact was originally edited by David E Weissman MD and published in September 2004. Current version re-copy-edited in April 2009.

Fast Facts and Concepts are edited by Sean Marks MD (Medical College of Wisconsin) and associate editor Drew A. Rosielle MD (University of Minnesota Medical School), with the generous support of a volunteer peer-review editorial board, and are made available online by the [Center to Advance Palliative Care \(www.capc.org\)](http://www.capc.org). Fast Facts and Concepts are editorially independent of the Center to Advance Palliative Care, and the authors of each individual Fast Fact are solely responsible for that Fast Fact's content. The full set of Fast Facts are available at <https://www.capc.org/fast-facts/> along with contact information, and how to reference Fast Facts.

Copyright: All Fast Facts and Concepts are published under a Creative Commons Attribution-NonCommercial 4.0 International Copyright (<http://creativecommons.org/licenses/by-nc/4.0/>). Fast Facts can only be copied and distributed for non-commercial, educational purposes. If you adapt or distribute a Fast Fact, let us know!

Disclaimer: Fast Facts and Concepts provide educational information for health care professionals. This information is not medical advice. Fast Facts are not continually updated, and new safety information may emerge after a Fast Fact is published. Health care providers should always exercise their own independent clinical judgment and consult other relevant and up-to-date experts and resources. Some Fast Facts cite the use of a product in a dosage, for an indication, or in a manner other than that recommended in the product labeling. Accordingly, the official prescribing information should be consulted before any such product is used.

[Privacy Policy](#) [Terms of Use](#)